



REPLACEMENT SHEET

BIOCERAMIC COMPOSITIONS Serial No. 09/284,436

Dosuk D. Lee et al. Filing Date: June 8, 2000

Page 1 of 22

Customer No.: 21559




Fig. 1



REPLACEMENT SHEET

BIOCERAMIC COMPOSITIONS Serial No. 09/284,436

Dosuk D. Lee et al. Filing Date: June 8, 2000

Page 2 of 22

Customer No.: 21559

	O	P	CA	TOTAL
AVG	68.51	12.23	19.26	100.00
+-	0.80	0.11	0.11	COUNT
+-	0.56	0.18	0.39	1-SIGMA
+-	0.40	0.13	0.28	95% CONF

LT= 60 SECS
ACP-H

CA/P RATIO 1.575




Fig. 2



REPLACEMENT SHEET

BIOCERAMIC COMPOSITIONS Serial No. 09/284,436

Dosuk D. Lee et al. Filing Date: June 8, 2000

Page 3 of 22

Customer No.: 21559

DISSOLUTION IN TRIS BUFFER AT 37C.7.3pH
40mg POWDER IN 200ml SOLUTION




Fig. 3



REPLACEMENT SHEET

BIOCERAMIC COMPOSITIONS Serial No. 09/284,436

Dosuk D. Lee et al. Filing Date: June 8, 2000

Page 4 of 22

Customer No.:

REACTIVE ACP




Fig. 4A

DCDP




Fig. 4B



REPLACEMENT SHEET

BIOCERAMIC COMPOSITIONS Serial No. 09/284,436

Dosuk D. Lee et al. Filing Date: June 8, 2000

Page 5 of 22

Customer No.: 21559




Fig. 5A





Fig. 5B



REPLACEMENT SHEET

BIOCERAMIC COMPOSITIONS Serial No. 09/284,436

Dosuk D. Lee et al. Filing Date: June 8, 2000

Page 6 of 22

Customer No.: 21559




Fig. 5C




Fig. 5D




Fig. 6A




Fig. 6B




Fig. 6C



REPLACEMENT SHEET

BIOCERAMIC COMPOSITIONS Serial No. 09/284,436

Dosuk D. Lee et al. Filing Date: June 8, 2000

Page 8 of 22

Customer No.: 21559




Fig. 7




REPLACEMENT SHEET


BIOCERAMIC COMPOSITIONS Serial No. 09/284,436

Dosuk D. Lee et al. Filing Date: June 8, 2000

Page 9 of 22

Customer No.: 21559





REPLACEMENT SHEET

BIOCERAMIC COMPOSITIONS Serial No. 09/284,436

Dosuk D. Lee et al. Filing Date: June 8, 2000

Page 10 of 22

Customer No.: 21559





Fig. 9



REPLACEMENT SHEET

BIOCERAMIC COMPOSITIONS Serial No. 09/284,436

Dosuk D. Lee et al. Filing Date: June 8, 2000

Page 11 of 22

Customer No.: 21559



Fig. 10A



REPLACEMENT SHEET

BIOCERAMIC COMPOSITIONS Serial No. 09/284,436

Dosuk D. Lee et al. Filing Date: June 8, 2000

Page 12 of 22

Customer No.: 21559



Fig. 10B



REPLACEMENT SHEET

BIOCERAMIC COMPOSITIONS Serial No. 09/284,436

Dosuk D. Lee et al. Filing Date: June 8, 2000

Page 13 of 22

Customer No.: 21559



Fig. 11



REPLACEMENT SHEET

BIOCERAMIC COMPOSITIONS Serial No. 09/284,436

Dosuk D. Lee et al. Filing Date: June 8, 2000

Page 14 of 22

Customer No.: 2155928, 2004



Fig. 12



REPLACEMENT SHEET

BIOCERAMIC COMPOSITIONS Serial No. 09/284,436

Dosuk D. Lee et al. Filing Date: June 8, 2000

Page 15 of 22

Customer No.: 21559




Fig. 13A



REPLACEMENT SHEET

BIOCERAMIC COMPOSITIONS Serial No. 09/284,436

Dosuk D. Lee et al. Filing Date: June 8, 2000

Page 16 of 22

Customer No.: 21559




Fig. 13B



REPLACEMENT SHEET

BIOCERAMIC COMPOSITIONS Serial No. 09/284,436

Dosuk D. Lee et al. Filing Date: June 8, 2000

Page 17 of 22

Customer No.: 21559





Fig. 14



REPLACEMENT SHEET


BIOCERAMIC COMPOSITIONS Serial No. 09/284,436


Dosuk D. Lee et al. Filing Date: June 8, 2000

Page 18 of 22

Customer No.: 21559

FIG. 15





REPLACEMENT SHEET


BIOCERAMIC COMPOSITIONS Serial No. 09/284,436

Dosuk D. Lee et al. Filing Date: June 8, 2000

Page 19 of 22

Customer No.: 21559

FIG. 16





REPLACEMENT SHEET

BIOCERAMIC COMPOSITIONS Serial No. 09/284,436

Dosuk D. Lee et al. Filing Date: June 8, 2000

Page 20 of 22

Customer No.: 21559

FIG. 17






FIG. 18A




FIG. 18B




FIG. 18C






FIG. 19A




FIG. 19B





FIG. 19C



**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ BLACK BORDERS
- ☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
- ☐ FADED TEXT OR DRAWING
- ☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING
- ☐ SKEWED/SLANTED IMAGES
- ☒ COLOR OR BLACK AND WHITE PHOTOGRAPHS
- ☐ GRAY SCALE DOCUMENTS
- ☐ LINES OR MARKS ON ORIGINAL DOCUMENT
- ☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
- ☐ OTHER: _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.